


Tags

sephon

Lay Down and Rot



BIRD

Posts: 4,947

Threads: 424


Joined: Jun 2015

11-30-2015, 01:46 PM


#1

Although the position of the hyoid bone affects the cervicomenal angle greatly, so too does fat/soft tissue. Here are two subjects, both aged around 18-19 so they have young skin.


**Subject A – lean, 10% bodyfat or less**




**Subject B – skinnyfat, 20%+ bodyfat**




**Subject A's cervicomenal outline and distance from skin to hyoid bone**



**Subject B's cervicomenal outline and distance from skin to hyoid bone**



Therefore we can determine the role of fat in Subject B's poor cervicomenal angle, it would probably look like this at low bodyfat:




Subject B does have a shit-tier chin which also contributes to this.



 Find

 Reply



**heilsa**   
Looks Expert


Posts: 3,576  
Threads: 98  
Joined: Jun 2015

 Find


11-30-2015, 07:29 PM

#2

so necklift is legit after all?

 Reply

**sephon**   
Lay Down and Rot



Posts: 4,947  
Threads: 424  
Joined: Jun 2015

12-01-2015, 01:19 AM

#3

**heilsa Wrote:** 

(11-30-2015, 07:29 PM)

so necklift is legit after all?

necklift is liposuction + platysmaplasty, the latter is usually done on older people whose neck muscles have aged

for young people their skin is generally elastic enough to only need liposuction

[Image: tumblr\_mm7InlPXNe1rmies0o1\_500.gif]



Find

Reply



**StevefromArizona** ●  
Newbie

Posts: 35  
Threads: 8  
Joined: Nov 2015

Find

12-01-2015, 02:05 AM

#4

legit thread is legit



Reply

« Next Oldest | Next Newest »

Enter Keywords

Search Thread

[Subscribe to this thread](#)

Forum Jump: -- Looksmaxing



Go

**LOOKSMAXXER.COM**  
MAXIMIZE YOUR LOOKS



AND YOUR **POTENTIAL**

Advertisements are invisible for registered users.

